



Is our water safe to drink?

Yes. Naval Air Station (NAS) Sigonella's drinking water systems provide water deemed safe and certified "Fit for Human Consumption" (FFHC; that is, potable) as determined by the Installation Commanding Officer's Record of Decision dated 2 Nov 2017 and as routinely confirmed by laboratory sampling results (received monthly, quarterly, and yearly). NAS Sigonella is proud to support the Navy's commitment to provide safe and reliable drinking water to our service members and their families. In fact, NAS Sigonella's four water systems were among the first overseas drinking water facilities to receive Conditional Certificates to Operate from Commander, Navy Installations Command (CNIC). This annual Consumer Confidence Report (CCR) for calendar year 2022 includes general and mandatory information to educate everyone about our water source(s), treatment processes, standard requirements, and other details to help assure you that our water is safe to drink.

Our drinking water fully complies with the Department of Defense's (DoD) Italy Final Governing Standards (FGS), which are derived from the Overseas Environmental Baseline Guidance Document and U.S. Environmental Protection Agency (EPA) and Italian drinking water standards. When Italian and U.S. standards differ, the most protective requirement is adopted into the FGS. A detailed list of constituents found in our drinking water is included in this report, along with a comparison to the maximum levels considered safe for the general public by these standards.

NAS Sigonella's Commanding Officer and Naval Facilities Engineering Command (NAVFAC) Europe Africa Central (EURAFCENT) Headquarters recognize the importance of safeguarding the health and well-being of our Sigonella Citizens.

Where does our water come from and how is it treated?

The Marinai Family Housing Area purchases treated water from Pizzarotti & C., S.p.A. This water comes from two groundwater wells at a depth of 30 meters, which are located outside of the installation property. The water is treated at the Marinai Water Treatment Plant using sand filters, an advanced reverse osmosis (RO) membrane filtration system, and disinfection prior to distribution. Regardless of the differences in the source or the treatment process, all drinking water provided to the NAS Sigonella community must meet the same performance standards.

Why are there contaminants in drinking water?

Drinking water, including bottled water, may reasonably be expected to contain small amounts of some contaminants. The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring contaminants and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

As a result, some contaminants may be present in source drinking water such as:

• **Microbial contaminants**, such as viruses and bacteria, that may come from wildlife, sewage treatment plants, septic systems, and agricultural livestock operations;

- **Pesticides and herbicides**, which may come from a variety of sources, such as agriculture, urban storm water runoff, and residential uses;
- **Inorganic contaminants** such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming;
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems; and
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

Drinking water from any source may also include **disinfection by-products**, formed when disinfectants used in water treatment plants react with bromide and/or natural organic matter (i.e., decaying vegetation) present in the source water. Different disinfectants produce different types or amounts of disinfection byproducts. Disinfection byproducts for which regulations have been established include trihalomethanes, haloacetic acids, bromate, and chlorite.

The presence of contaminants does not necessarily indicate that water poses a health risk. In order to ensure that tap water is safe to drink, regulations limit the amount of certain contaminants in water provided by public water systems. Sampling is conducted routinely and attempts to detect the level of any contaminants in the water system. If the results are above regulatory limits, a notification sent by an All Hands e-mail, an article in *The Signature*, and by Facebook post will go to all personnel.

The U.S. Environmental Protection Agency (EPA) established a three-tier public notification plan for drinking water summarized in Table 1. NAS Sigonella follows this outline to ensure notifications occur in a timely manner when necessary.

Table 1. The 3 Tiers of Public Notification*

	Required Distribution Time	Notification Delivery Method
Tier 1: Immediate Notice	Any time a situation occurs where	Should a Tier 1 notification be
	there is the potential for human health	necessary, NAS Sigonella will notify
	to be immediately impacted, water	you via an All Hands E-mail message
	suppliers have 24 hours to notify	and Facebook.
	people who may drink the water of the	
	situation.	
Tier 2: Notice as Soon as Possible	Any time a water system provides	NAS Sigonella will notify you of a
	water with levels of a contaminant that	Tier 2 concern through an All Hands
	exceed EPA or state standards or that	E-mail message, publication in <i>The</i>
	hasn't been treated properly, but that	Signature, and by post on Facebook.
	doesn't pose an immediate risk to	
	human health, the water system must	
	notify its customers as soon as	
	possible, but within 30 days of the	
	violation.	
Tier 3: Annual Notice	When water systems violate a drinking	Tier 3 notifications are published
	water standard that does not have a	annually in this document, the
	direct impact on human health (For	Consumer Confidence Report.
	Example, failing to take a required	
	sample on time) the water supplier has	
	up to a year to provide a notice of this	
	situation to its customers.	

^{*}Definitions from EPA website. See http://water.epa.gov/lawsregs/rulesregs/sdwa/publicnotification/basicinformation.cfm.

You can learn more about contaminants and any potential health effects by calling the EPA's Safe Drinking Water Hotline: +1-800-426-4791 or by visiting the EPA's Drinking Water Standards web site: https://www.epa.gov/dwreginfo/drinking-water-regulations.

Source Water Assessment

In May 2019, NAVFAC and the Navy, Marine Corps Public Health Center (NMCPHC) conducted a comprehensive sanitary survey of the Marinai Family Housing drinking water system. This survey provided an evaluation of the adequacy of the drinking water source, facilities, equipment, operation and maintenance for producing and distributing safe drinking water. NAVFAC is continually improving the drinking water system based on the recommendations in the report.

Some People Must Use Special Precautions

There are people who may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the EPA's Safe Drinking Water Hotline: +1-800-426-4791 or by visiting www.epa.gov/safewater/sdwa.

Additional Information for Lead

Corrosion of household plumbing systems and erosion of natural deposits are the typical sources for lead and copper in drinking water. To meet the EPA and Italy FGS action level for lead and copper, 90 percent of the buildings tested must have lead levels below 15 micrograms per liter (µg/L) and copper levels below 1.3 milligrams per liter (mg/L). This measurement is referred to as the 90th percentile. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. NAVFAC Sigonella Public Works is responsible for providing high-quality drinking water and has direct control over the materials used in plumbing components on the facility. This ensures that no lead service lines or components are in the drinking water system. As a general safety practice, whenever - and wherever - you plan to use tap water for drinking or cooking, you can minimize the potential for lead exposure by flushing the tap for 30 seconds to 2 minutes prior to use. Information on lead in drinking water and steps you can take to minimize exposure is available from the USEPA Safe Drinking Water website: www.epa.gov/safewater/lead.

Water Quality Data Table

Table 2 identifies drinking water contaminants and relevant sampling data collected during the 2022 calendar year or the last year the sampling was conducted. NAS Sigonella samples for many more chemicals than are found in this table; only those contaminants detected in the water are presented in the table. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. For those contaminants not sampled annually, sample results in this table are the most recent required by the applicable regulations. Tables 3 and 4 include common definitions and unit descriptions used in drinking water analysis.

Table 2. Results of Latest Required Drinking Water System Testing

Contaminants (Units)	MCLG or MRDLG	MCL TT, MR DL	Your Water	Range Low-High	Sample Date	Violation	Typical Source
Inorganic Compon							
Antimony (mg/L)	N/A	0.005	0.00003	ND- 0.00003	2022	NO	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder
Arsenic (mg/L)	0	0.01	0.00019	N/A	2022	NO	Erosion of natural deposits
Boron (mg/L)	N/A	1	0.85	0.73- 0.85	2022	NO	Erosion of natural deposits
Chlorides (mg/L)	N/A	250	112	83.3-112	2022	NO	Erosion of natural deposits
Chromium (mg/L)	0.1	0.05	0.0008	0.000 4- 0.0008	2022	NO	Erosion of natural deposits
Conductivity (µS/cm)	N/A	2,500	687	260-687	2022	NO	Naturally present in the environment
Copper (mg/L)	1.3	1	0.007	0.0006- 0.0007	2022	NO	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
Dry Residues (mg/L)	N/A	1500	507	307-507	2022	NO	Erosion of natural deposits
Lead (mg/L)	0	0.01	0.0001	N/A	2022	NO	Corrosion of household plumbing systems; erosion of natural deposits
Manganese (mg/L)	N/A	0.05	0.0008	ND- 0.0008	2022	NO	Erosion of natural deposits
Nickel (mg/L)	N/A	0.02	0.00017	N/A	2022	NO	Erosion of natural deposits
Vanadium (mg/L)	N/A	0.140	0.00004	ND- 0.00004	2022	NO	Erosion of natural deposits
Zinc (mg/L)	N/A	5	0.0153	0.0114- 0.0153	2022	NO	Erosion of natural deposits
Selenium	0.05	0.01	0.0005	0.0003- 0.0005	2022	NO	Erosion of natural deposits

Table 2. Results of Latest Required Drinking Water System Testing (Cont.)

	MCLG	MCL,					
Contaminants	or	TT, or	Your	Range	Sample	Violation	Typical
(Units)	MRDLG	MRDL	Water	Low-High	Date		Source
pН	N/A	6.5-	7.3	6.8-7.3	2022	NO	Naturally present in the
		9.5					environment
Sodium (mg/L)	N/A	200	82.6	59.7-82.6	2022	NO	Erosion of natural deposits
Sulfate (mg/L)	N/A	250	142	8.74-142	2022	NO	Erosion of natural deposits
Total Hardness	N/A	150-	120	18.8-120	2022	NO	Erosion of natural deposits
(as CaCO ₃ , mg/L)		500					
Iron (mg/L)	N/A	0.2	0.02	0.00502	2022	NO	Erosion of natural deposits
Disinfectant and D	isinfection	By-Produ		onents			
Chlorine (mg/L)	N/A	4	0.7	0.4-0.7	2022	NO	Water additive used to control microbes
Total	N/A	0.03	0.015	ND-	2022	NO	By-product of drinking water
Trihalomethanes				0.015			disinfection
(TTHMs) (mg/L)							
Microbiological Components							
Total Coliforms		>1 positive	ND	N/A	2022	NO	Naturally present in the
		ample per month					environment
Radiological Components							
Gross Alpha (pCi/L)	0	15	0.18	N/A	2021	NO	Decay of natural and man- made deposits

	Lead and Copper Rule (taken at consumer taps)							
	AL	Your Water 90 th Percentile	# of Taps Exceeding AL	Range Low- High	Sample Date	Violati	ion	Typical Source
Lead (µg/L)	15	25.2	3	0.9- 39	2022			of household plumbing; f natural deposits
Copper (µg/L)	1300	90.3	0	7- 209	2022]		Corrosion of household plumbir Crosion of natural deposits

Table 3. Important Drinking Water Definitions

<u>Term</u>	<u>Definition</u>
AL	Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
MCL	Maximum Contaminant Level: The highest level of a contaminant allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG	Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MRDL	Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MRDLG	Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
N/A	Not Applicable
ND	Not Detected, also below the PQL
PQL	Practical Quantitation Limit, the lowest limit a contaminant can be detected reliably.
TT	Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
Variances and Exemptions	EPA permission not to meet an MCL or a treatment technique under certain conditions.

Table 4. Unit Descriptions

Term	<u>Definition</u>
mg/L	milligrams per liter (mg/L) or parts per million
μg/L	micrograms per liter (µg/L) or parts per billion
ng/L	nanograms per liter (ng/L) or parts per trillion
NTU	Nephelometric Turbidity Units
pCi/L	picocuries per liter (a measure of radioactivity)
μS/cm	microsiemens per centimeter

Monitoring Violations

This section provides the Tier 3 notification in accordance with EPA procedures. Tier 3 notifications do not have an impact on human health but EPA requires notification (See Table 1).

Drinking water samples were sampled for lead in unoccupied houses in June 2022 which conflicts with the recommended sampling locations in the NAS Sigonella sampling plan, so additional samples were collected in July 2022. The June sampling results exceeded the lead AL and should have been reported even though the July results were in compliance with the lead AL. Additional corrosion control measures have been implemented, and sampling conducted in September 2022 was also in compliance with the lead AL. Sampling will continue to occur semi-annually during 2023 to ensure corrosion control measures remain effective.

Due to issues with shipping to the contracted laboratory, 1,2-dibromo-3-chloropropane (DBCP) was not analyzed in the first quarter of 2022, however results for second quarter, third quarter, and fourth quarter were non-detect. In addition, Ethylene dibromide (EDB) was not analyzed in the second quarter due to a mix up at the laboratory. These issues have been addressed in 2023.

Points of Contact

If you have any questions regarding this report or about the drinking water processes, please contact the NAS Sigonella Installation Water Quality Board via the Installation Environmental Program Director by calling 095-86-2725.