

**APPENDIX B. RADON RESULTS FOR FAMILY HOUSING AT NSA
NAPLES 2013–2015**

THIS PAGE INTENTIONALLY LEFT BLANK

Radon Results for Family Housing at NSA Naples 2013–2015

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2001-1	ANTIETAM CRT	HALL	4/1/2013	6/23/2014	4882076	4882177	1.5	2.3	1.9	
2001-2	ANTIETAM CRT	HALLWAY	4/1/2013	6/23/2014	4878056	4884211	1.6	1.7	1.7	
2002-1	ANTIETAM CRT	HALLWAY	4/1/2013	6/23/2014	4882168	4877998	1.6	1.5	1.6	
2002-2	ANTIETAM CRT	HALLWAY	4/1/2013	6/23/2014	4882125	4884277	1.6	1.7	1.7	
2003-1	ANTIETAM CRT	HALLWAY	4/1/2013	6/23/2014	4877994	4882148	1.3	1.1	1.2	
2003-2	ANTIETAM CRT	HALLWAY	4/1/2013	6/23/2014	4882152	4877873	1.2	1.4	1.3	
2004-1	ANTIETAM CRT	HALLWAY	4/1/2013	6/26/2014	4878109	4882083	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2004-1	ANTIETAM CRT	HALLWAY	9/11/2014	3/25/2015	4883346	4883357	0.9	1.2	1.1	
2004-2	ANTIETAM CRT	HALLWAY	4/1/2013	6/26/2014	4878063	4877943	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2004-2	ANTIETAM CRT	HALLWAY	9/11/2014	3/25/2015	4883558	4883561	N/A	N/A	N/A	DET 1 and 2 Anomalous Data. Detectors stored for 3 months unsealed at installation.
2004-2	ANTIETAM CRT	HALLWAY	6/9/2015	12/9/2015	4932722	4932698	1.2	1.8	1.5	
2005-1	ANTIETAM CRT	HALLWAY	4/1/2013	6/23/2014	4877919	4881043	2.1	1.9	2.0	
2005-2	ANTIETAM CRT	HALLWAY	4/1/2013	6/23/2014	4882096	4877871	1.8	1.8	1.8	
2032-1	ANZIO CRT	HALLWAY	4/2/2013	6/23/2014	4884812	4881976	1.1	1.2	1.2	
2032-2	ANZIO CRT	HALLWAY	4/2/2013	6/23/2014	4884508	4884814	1.4	1.5	1.5	
2032-3	ANZIO CRT	HALLWAY	4/9/2013	6/23/2014	4883940	4885355	1.2	2.3	1.8	
2032-4	ANZIO CRT	HALLWAY	4/2/2013	6/23/2014	4884168	4884615	1.5	1.6	1.6	
2034-1	ANZIO CRT	HALLWAY	4/2/2013	6/23/2014	4882448	4881759	1.3	1.4	1.4	
2034-2	ANZIO CRT	HALLWAY	4/2/2013	6/23/2014	4881822	4881816	1.3	1.2	1.3	
2034-3	ANZIO CRT	HALLWAY	4/9/2013	6/23/2014	4883636	4883743	1.0	0.9	1.0	
2034-4	ANZIO CRT	HALLWAY	4/2/2013	6/23/2014	4881940	4884120	1.4	1.2	1.3	
2147	ARLEIGH BURKE WAY	LIVING RM	4/9/2013	7/25/2014	4884471	4881899	1.7	1.6	1.7	
2147A	ARLEIGH BURKE WAY	LIVING RM	4/9/2013	6/23/2014	4885638	4885690	0.9	1.0	1.0	
2149	ARLEIGH BURKE WAY	LIVING RM	4/9/2013	6/26/2014	4883942	4883799	0.8	1.0	0.9	
2149A	ARLEIGH BURKE WAY	LIVING RM	4/11/2013	8/22/2014	4883874	4883868	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2149A	ARLEIGH BURKE WAY	LIVING RM	9/15/2014	3/26/2015	4883431	4883502	1.4	1.1	1.3	

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2150-1	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4885832	4884516	2.0	1.8	1.9	
2150-2	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4885830	4881943	2.9	3.0	3.0	
2150-3	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4884519	4881764	1.7	1.3	1.5	
2150-4	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4885777	4884614	1.4	1.6	1.5	
2151-1	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4884432	4885788	1.8	1.7	1.8	
2151-2	C.NIMITZ CRT	HALLWAY	4/8/2013	8/22/2014	4884689	4881695	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2151-2	C.NIMITZ CRT	HALLWAY	9/15/2014	3/26/2015	4883423	4881662	5.5	3.8	4.7	
2151-3	C.NIMITZ CRT	HALLWAY	4/8/2013	9/15/2014	4884682	4881810	1.7	1.8	1.8	
2151-4	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4885681	4885886	2.3	2.5	2.4	
2152-1	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4885726	4882032	2.5	2.5	2.5	
2152-2	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4885713	4885909	2.4	2.4	2.4	
2152-3	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4885624	4885697	1.2	1.2	1.2	
2152-4	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4885767	4885915	1.2	1.1	1.2	
2153-1	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4885947	4885710	1.8	1.9	1.9	
2153-2	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4881971	4884488	2.8	2.6	2.7	
2153-3	C.NIMITZ CRT	HALWAY	4/11/2013	6/25/2014	4884777	4885404	1.6	1.5	1.6	
2153-4	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4883617	4884571	0.9	1.0	1.0	
2154-1	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4885702	4884774	2.5	2.4	2.5	
2154-2	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4884604	4881994	2.4	2.3	2.4	
2155-1	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4885881	4885598	2.0	2.0	2.0	
2155-2	C.NIMITZ CRT	HALLWAY	4/8/2013	6/25/2014	4884627	4884716	1.7	1.9	1.8	
2051-1	CHOSIN CRT	HALLWAY	4/1/2013	6/24/2014	4885602	4884735	1.3	1.3	1.3	
2051-2	CHOSIN CRT	HALLWAY	4/1/2013	6/24/2014	4884527	4884548	1.3	1.3	1.3	
2051-3	CHOSIN CRT	BED ROOM	9/12/2014		4883299	4883444	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2051-3	CHOSIN CRT	BED ROOM	4/1/2013	6/26/2014	4884563	4884725	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2051-4	CHOSIN CRT	HALLWAY	4/4/2013	7/25/2014	4884540	4881928	N/A	1.1	1.1	DET 1 Placed / Reported Missing
2051-4	CHOSIN CRT	HALLWAY	9/12/2014	3/25/2015	4883498	4883491	1.2	1.1	1.2	
2148	CONSTELLATION DRIVE	DINNING RM	4/9/2013	6/26/2014	4885370	4883631	0.9	1.2	1.1	

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2148A	CONSTELLATION DRIVE	LIVING RM	4/9/2013	6/23/2014	4883951	4885858	1.1	1.1	1.1	
2156-1	CORAL SEA CRT	HALLWAY	4/8/2013	8/22/2014	4885688	4885923	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2156-1	CORAL SEA CRT	HALLWAY	9/15/2014	3/26/2015	4883372	4883441	1.8	2.1	2.0	
2156-2	CORAL SEA CRT	HALLWAY	4/8/2013	8/22/2014	4885712	N/A	N/A	N/A	N/A	DET 1 Placed / Reported Missing
2156-2	CORAL SEA CRT	HALLWAY	9/15/2014	3/26/2015	4883363	4881741	2.2	2.4	2.3	
2157-1	CORAL SEA CRT	HALLWAY	4/11/2013	6/25/2014	4885796	4881815	1.6	1.7	1.7	
2157-2	CORAL SEA CRT	HALLWAY	4/8/2013	6/25/2014	4885883	4885750	2.8	4.0	3.4	
2158-1	CORAL SEA CRT	HALLWAY	4/11/2013	6/25/2014	4883659	4883967	2.5	2.6	2.6	
2158-2	CORAL SEA CRT	HALLWAY	4/8/2013	6/25/2014	4885903	4882016	1.7	1.9	1.8	
2159-1	CORAL SEA CRT	HALLWAY	4/8/2013	6/25/2014	4884628	4881938	2.0	1.6	1.8	
2159-2	CORAL SEA CRT	HALLWAY	4/8/2013	6/25/2014	4884512	4885759	1.3	1.0	1.2	
2160-1	CORAL SEA CRT	HALLWAY	4/8/2013	6/25/2014	4885631	4885851	1.3	1.4	1.4	
2160-2	CORAL SEA CRT	HALLWAY	4/8/2013	6/25/2014	4884537	4884426	1.7	1.9	1.8	
2161-1	CORAL SEA CRT	HALLWAY	4/8/2013	6/25/2014	4885837	4884534	2.3	2.6	2.5	
2161-2	CORAL SEA CRT	HALLWAY	4/8/2013	6/25/2014	4885604	4885734	1.1	1.0	1.1	
2162-1	CORAL SEA CRT	HALLWAY	4/8/2013	8/22/2014	4884641	4885622	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2162-1	CORAL SEA CRT	HALLWAY	9/15/2014	3/26/2015	4883544	4883290	2.2	2.2	2.2	
2162-2	CORAL SEA CRT	HALLWAY	4/11/2013	8/22/2014	4883857	4885823	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2162-2	CORAL SEA CRT	HALLWAY	9/15/2014	3/26/2015	4883573	4883365	2.1	3.1	2.6	
2036-1	E. MONTEREY CRT	HALLWAY	4/3/2013	6/24/2014	4881993	4881818	2.2	1.9	2.1	
2036-2	E. MONTEREY CRT	HALLWAY	4/3/2013	6/24/2014	4881970	4881966	1.2	1.1	1.2	
2036-3	E. MONTEREY CRT	HALLWAY	4/1/2013	6/24/2014	4884761	4884509	1.4	1.4	1.4	
2036-4	E. MONTEREY CRT	HALLWAY	4/3/2013	6/26/2014	4881856	N/A	N/A	N/A	N/A	DET 1 Placed / Reported Missing
2036-4	E. MONTEREY CRT	HALLWAY	9/11/2014	3/26/2015	4883349	4883394	1.6	1.3	1.5	
2037-1	E. MONTEREY CRT	HALLWAY	4/3/2013	6/24/2014	4884822	4884824	1.3	1.2	1.3	
2037-2	E. MONTEREY CRT	HALLWAY	4/3/2013	6/26/2014	4881760	4882012	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2037-2	E. MONTEREY CRT	HALLWAY	9/11/2014	3/25/2015	4881658	4883283	5.1	3.9	4.5	

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2053-1	EISENHOWER STREET	HALLWAY	4/1/2013	7/25/2014	4881834	4884619	1.0	0.7	0.9	
2053-2	EISENHOWER STREET	HALLWAY	4/3/2013	6/24/2014	4884487	4882036	0.9	0.9	0.9	
2053-2	EISENHOWER STREET	HALLWAY	9/12/2014	3/25/2015	4883397	4883384	1.0	1.1	1.1	
2053-3	EISENHOWER STREET	HALLWAY	4/3/2013	6/24/2014	4884485	4881787	1.0	1.0	1.0	
2053-4	EISENHOWER STREET	HALLWAY	4/3/2013	7/25/2014	4882011	4881863	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2053-4	EISENHOWER STREET	HALLWAY	9/12/2014	3/25/2015	4883543	4883392	0.8	1.3	1.1	
2054-1	EISENHOWER STREET	HALLWAY	4/1/2013	6/24/2014	4881900	4884444	1.2	1.6	1.4	
2054-2	EISENHOWER STREET	HALLWAY	4/1/2013	6/24/2014	4884748	4884098	1.2	1.0	1.1	
2054-3	EISENHOWER STREET	HALLWAY	4/3/2013	6/24/2014	4884650	4881886	1.0	0.9	1.0	
2054-4	EISENHOWER STREET	HALLWAY	4/3/2013	6/24/2014	4881748	4884504	1.1	1.1	1.1	
2055-1	EISENHOWER STREET	HALLWAY	4/4/2013	6/24/2014	4882034	4884500	0.9	0.9	0.9	
2055-2	EISENHOWER STREET	HALLWAY	4/4/2013	6/24/2014	4884769	4884687	1.1	1.1	1.1	
2055-3	EISENHOWER STREET	HALLWAY	4/4/2013	6/24/2014	4881910	4885580	0.9	0.8	0.9	
2055-4	EISENHOWER STREET	HALLWAY	4/4/2013	7/25/2014	4882013	4881911	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2055-4	EISENHOWER STREET	HALLWAY	9/12/2014	3/25/2015	4883400	4883539	1.7	1.3	1.5	
2043-1	ESSEX ST	HALLWAY	4/3/2013	6/24/2014	4881915	4881977	0.7	0.3	0.5	
2043-2	ESSEX ST	HALLWAY	4/3/2013	6/26/2014	4884014	4882014	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2043-2	ESSEX ST	HALLWAY	9/12/2014	3/25/2015	4883304	4883525	0.9	1.2	1.1	
2045-1	ESSEX ST	HALLWAY	4/1/2013	6/24/2014	4884647	4884655	0.9	0.9	0.9	
2045-2	ESSEX ST	HALLWAY	4/3/2013	8/26/2014	4881792	4881942	1.3	1.3	1.3	
2047-1	ESSEX ST	HALLWAY	4/3/2013	6/24/2014	4884794	4884753	0.7	0.7	0.7	
2047-2	ESSEX ST	HALLWAY	4/3/2013	6/26/2014	4884843	4882009	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2047-2	ESSEX ST	HALLWAY	9/12/2014	3/25/2015	4883476	4883418	0.7	0.9	0.8	
2121-1	GETTYSBURG CRT	HALLWAY	4/2/2013	6/24/2014	4884653	4882021	0.8	0.8	0.8	
2121-2	GETTYSBURG CRT	HALLWAY	4/5/2013	8/21/2014	4884597	4884463	1.0	1.0	1.0	
2121-3	GETTYSBURG CRT	HALLWAY	4/5/2013	6/24/2014	4881989	4882015	1.1	0.9	1.0	

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2121-4	GETTYSBURG CRT	HALLWAY	4/5/2013	6/24/2014	4881755	4881698	0.9	1.0	1.0	
2122-1	GETTYSBURG CRT	HALLWAY	4/5/2013	6/24/2014	4881788	4881907	1.0	1.1	1.1	
2122-2	GETTYSBURG CRT	HALLWAY	4/5/2013	6/24/2014	4884477	4884506	1.1	1.2	1.2	
2122-3	GETTYSBURG CRT	HALLWAY	4/5/2013	6/24/2014	4882006	4881781	1.2	1.1	1.2	
2122-4	GETTYSBURG CRT	HALLWAY	4/5/2013	6/24/2014	4884443	4881775	1.4	1.4	1.4	
2123-1	GETTYSBURG CRT	HALLWAY	4/5/2013	6/24/2014	4881865	4881881	1.3	1.2	1.3	
2123-2	GETTYSBURG CRT	HALLWAY	4/5/2013	6/24/2014	4884455	4881708	0.8	1.0	0.9	
2123-3	GETTYSBURG CRT	HALLWAY	4/2/2013	6/24/2014	4881923	4881946	1.4	1.3	1.4	
2123-4	GETTYSBURG CRT	HALLWAY	4/5/2013	6/25/2014	4881757	4885583	1.3	1.1	1.2	
2124-1	GETTYSBURG CRT	HALLWAY	4/5/2013	6/25/2014	4884634	4884472	1.1	1.2	1.2	
2124-2	GETTYSBURG CRT	HALLWAY	4/5/2013	6/25/2014	4884809	4885582	1.1	0.8	1.0	
2124-2	GETTYSBURG CRT	HALLWAY	9/15/2014	3/26/2015	4881668	4883278	1.8	1.6	1.7	
2124-3	GETTYSBURG CRT	HALLWAY	4/5/2013	6/25/2014	4882031	4884704	1.1	1.0	1.1	
2124-4	GETTYSBURG CRT	HALLWAY	4/5/2013	6/25/2014	4881758	4884555	2.0	2.3	2.2	
2048-1	KEARSARGE CRT	HALLWAY	4/3/2013	6/24/2014	4884696	4884533	0.7	0.8	0.8	
2048-2	KEARSARGE CRT	HALLWAY	4/3/2013	6/24/2014	4884683	4884874	0.7	0.6	0.7	
2049-1	KEARSARGE CRT	HALLWAY	4/3/2013	6/24/2014	4884754	4881929	0.8	0.9	0.9	
2049-2	KEARSARGE CRT	HALLWAY	4/3/2013	6/24/2014	4881706	4884579	0.9	0.8	0.9	
2024-1	KITTYHAWK COURT	HALLWAY	4/1/2013	6/23/2014	4884728	4884656	1.2	1.3	1.3	
2024-2	KITTYHAWK COURT	HALLWAY	4/2/2013	6/26/2014	4884515	4884193	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2024-2	KITTYHAWK COURT	HALLWAY	9/11/2014	3/25/2015	4883369	4883396	1.8	1.6	1.7	
2024-3	KITTYHAWK COURT	HALLWAY	4/2/2013	6/26/2014	4884640	4884278	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2024-3	KITTYHAWK COURT	HALLWAY	9/11/2014	3/25/2015	4883566	4883367	1.8	1.7	1.8	
2024-4	KITTYHAWK COURT	HALLWAY	4/1/2013	6/23/2014	4884570	4881801	1.2	1.1	1.2	
2025-1	KITTYHAWK COURT	HALLWAY	4/1/2013	6/23/2014	4884639	4884658	1.7	2.0	1.9	
2025-2	KITTYHAWK COURT	HALLWAY	4/4/2013	6/23/2014	4881951	4884765	1.2	1.4	1.3	
2025-3	KITTYHAWK COURT	HALLWAY	4/2/2013	6/23/2014	4884678	4881817	1.3	1.4	1.4	
2025-4	KITTYHAWK COURT	HALLWAY	4/2/2013	6/26/2014	4881937	4882040	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2025-4	KITTYHAWK COURT	HALLWAY	9/11/2014	3/25/2015	4883404	4883542	1.9	1.8	1.9	

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2026-1	KITTYHAWK COURT	HALLWAY	4/4/2013	9/11/2014	4884715	4881953	0.9	0.8	0.9	
2026-2	KITTYHAWK COURT	HALLWAY	4/9/2013	6/23/2014	4883920	4885689	0.7	0.7	0.7	
2026-3	KITTYHAWK COURT	HALLWAY	4/2/2013	6/23/2014	4884663	4884805	0.7	0.7	0.7	
2026-4	KITTYHAWK COURT	HALLWAY	4/2/2013	6/23/2014	4884179	4881913	0.9	0.8	0.9	
2106-1	LA SALLE COURT	HALLWAY	4/4/2013	6/24/2014	4881703	4881889	1.0	0.9	1.0	
2106-2	LA SALLE COURT	HALLWAY	4/4/2013	6/24/2014	4881972	4884802	0.9	0.9	0.9	
2107-1	LA SALLE COURT	HALLWAY	4/4/2013	6/24/2014	4881770	4881935	1.2	1.0	1.1	
2107-2	LA SALLE COURT	HALLWAY	4/4/2013	7/10/2014	4884675	4882005	1.3	1.3	1.3	
2108-1	LA SALLE COURT	HALLWAY	4/4/2013	6/24/2014	4881739	4881957	1.8	1.6	1.7	
2108-2	LA SALLE COURT	HALLWAY	4/4/2013	6/24/2014	4884742	4881747	2.1	1.8	2.0	
2109-1	LA SALLE COURT	HALLWAY	4/4/2013	6/24/2014	4884572	4881846	1.0	1.0	1.0	
2109-2	LA SALLE COURT	HALLWAY	4/2/2013	6/24/2014	4881785	4881969	1.3	1.2	1.3	
2109-3	LA SALLE COURT	HALLWAY	4/4/2013	6/24/2014	4884803	4881857	1.3	1.2	1.3	
2109-4	LA SALLE COURT	HALLWAY	4/4/2013	6/24/2014	4884771	4881962	1.7	1.2	1.5	
2110-1	LA SALLE COURT	HALLWAY	4/2/2013	6/24/2014	4884807	4881860	0.9	0.8	0.9	
2110-2	LA SALLE COURT	HALLWAY	4/11/2013	6/24/2014	4885916	4883772	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2110-2	LA SALLE COURT	HALLWAY	4/4/2013	6/24/2014	4884864	4881813	0.3	N/A	0.3	DET 2 Placed/Reported Missing
2110-2	LA SALLE COURT	HALLWAY	9/12/2014	3/26/2015	4883551	4883486	2.1	1.8	2.0	
2110-3	LA SALLE COURT	HALLWAY	4/2/2013	6/24/2014	4884792	4881892	1.0	1.0	1.0	
2110-4	LA SALLE COURT	HALLWAY	4/4/2013	7/24/2014	4881811	4881774	1.1	1.1	1.1	
2111-1	LA SALLE COURT	HALLWAY	4/4/2013	7/25/2014	4884723	4881936	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2111-1	LA SALLE COURT	HALLWAY	9/12/2014	3/26/2015	4883301	4883330	1.4	0.6	1.0	
2111-2	LA SALLE COURT	HALLWAY	4/4/2013	6/24/2014	4884526	4881737	1.2	0.9	1.1	
2142-1	MERRIMACK COURT	HALLWAY	4/8/2013	6/25/2014	4885744	4885899	1.3	1.2	1.3	
2142-2	MERRIMACK COURT	HALLWAY	4/9/2013	6/25/2014	4885700	4883957	1.3	1.0	1.2	
2142-3	MERRIMACK COURT	HALLWAY	4/8/2013	6/25/2014	4885931	4885776	1.2	1.1	1.2	
2142-4	MERRIMACK COURT	BACK BED RM	4/8/2013	8/22/2014	4883628	4885680	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2142-4	MERRIMACK COURT	BACK BED RM	9/15/2014	3/26/2015	4883427	4881672	2.5	3.0	2.8	

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2143-1	MERRIMACK COURT	HALLWAY	4/8/2013	6/25/2014	4885628	4885816	2.5	2.7	2.6	
2143-2	MERRIMACK COURT	HALLWAY	4/8/2013	6/25/2014	4885773	4885938	3.0	3.1	3.1	
2030-1	MT. VERNON CRT	HALLWAY	4/2/2013	6/23/2014	4884585	4881784	0.6	0.8	0.7	
2030-2	MT. VERNON CRT	HALLWAY	4/4/2013	9/11/2014	4881738	4881952	0.9	0.8	0.9	
2030-3	MT. VERNON CRT	HALLWAY	4/2/2013	6/23/2014	4881990	4884591	0.7	0.8	0.8	
2030-4	MT. VERNON CRT	HALLWAY	4/2/2013	4/11/2013	4881906	4881849	N/A	N/A	N/A	DET 1 and 2 Renovation / Construction
2030-4	MT. VERNON CRT	HALLWAY	4/11/2013	6/23/2014	4885617	4883860	1.1	1.1	1.1	
2030-4	MT. VERNON CRT	HALLWAY	9/11/2014	3/25/2015	4883562	4883437	1.1	1.0	1.1	
2018-1	NASSAU CRT	HALLWAY	4/1/2013	6/23/2014	4884359	4882151	1.3	1.2	1.3	
2018-2	NASSAU CRT	HALLWAY	4/1/2013	6/23/2014	4884372	4877981	1.1	1.3	1.2	
2020-1	NASSAU CRT	HALLWAY	4/2/2013	6/23/2014	4881812	4881866	1.3	1.3	1.3	
2020-2	NASSAU CRT	HALLWAY	4/2/2013	6/23/2014	4881861	4881933	1.0	1.1	1.1	
2020-3	NASSAU CRT	HALLWAY	4/1/2013	6/23/2014	4881991	4884745	1.5	1.2	1.4	
2020-4	NASSAU CRT	HALLWAY	4/1/2013	9/11/2014	4885589	4884568	1.3	1.3	1.3	
2130-1	NEW ORLEANS COURT	HALLWAY	4/5/2013	6/25/2014	4884818	4881981	1.2	1.3	1.3	
2130-2	NEW ORLEANS COURT	HALLWAY	4/5/2013	6/25/2014	4881964	4885576	1.2	1.2	1.2	
2130-3	NEW ORLEANS COURT	HALLWAY	4/5/2013	6/25/2014	4884674	4881786	0.8	0.8	0.8	
2130-4	NEW ORLEANS COURT	HALLWAY	4/5/2013	6/25/2014	4881763	4884680	1.0	1.2	1.1	
2131-1	NEW ORLEANS COURT	HALLWAY	4/5/2013	6/25/2014	4881751	4881731	1.9	1.8	1.9	
2131-2	NEW ORLEANS COURT	HALLWAY	4/5/2013	6/25/2014	4884442	4884624	2.0	2.1	2.1	
2132-1	NEW ORLEANS COURT	HALLWAY	4/5/2013	6/25/2014	4884587	4884544	2.4	2.6	2.5	
2132-2	NEW ORLEANS COURT	HALLWAY	4/5/2013	6/25/2014	4884810	4884734	1.7	1.8	1.8	
2133-1	NEW ORLEANS COURT	HALLWAY	4/5/2013	6/25/2014	4881838	4881944	1.1	1.0	1.1	
2133-2	NEW ORLEANS COURT	HALLWAY	4/9/2013	6/25/2014	4883712	4883906	1.1	1.3	1.2	
2022-1	NORMANDY COURT	HALLWAY	4/2/2013	6/23/2014	4881802	4884343	1.7	1.7	1.7	
2022-2	NORMANDY COURT	HALLWAY	4/2/2013	6/23/2014	4881875	4884828	1.1	1.0	1.1	
2022-3	NORMANDY COURT	HALLWAY	4/2/2013	6/23/2014	4885596	4881939	1.7	1.7	1.7	
2022-4	NORMANDY COURT	HALLWAY	4/1/2013	6/23/2014	4884685	4884707	1.5	1.8	1.7	
2033-1	NORMANDY COURT	HALLWAY	4/1/2013	6/23/2014	4885597	4884636	0.8	0.8	0.8	
2033-2	NORMANDY COURT	HALLWAY	4/1/2013	6/23/2014	4881869	4884475	0.8	1.0	0.9	
2033-3	NORMANDY COURT	HALLWAY	4/2/2013	6/23/2014	4881870	4884213	0.6	0.7	0.7	

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2033-4	NORMANDY COURT	HALLWAY	4/1/2013	6/23/2014	4884752	4884582	1.1	1.2	1.2	
2134-1	OAKHILL CRT	HALLWAY	4/2/2013	6/25/2014	4884806	4884549	1.8	1.9	1.9	
2134-2	OAKHILL CRT	HALLWAY	4/5/2013	9/15/2014	4884739	4884470	1.3	1.4	1.4	
2134-3	OAKHILL CRT	HALLWAY	4/5/2013	6/25/2014	4884743	4881890	1.1	0.9	1.0	
2134-4	OAKHILL CRT	HALLWAY	4/5/2013	6/25/2014	4884714	4881721	1.2	0.9	1.1	
2135-1	OAKHILL CRT	HALLWAY	4/5/2013	6/25/2014	4884473	4884703	1.1	1.1	1.1	
2135-2	OAKHILL CRT	HALLWAY	4/5/2013	6/25/2014	4884602	4884480	1.4	1.6	1.5	
2136-1	OAKHILL CRT	HALLWAY	4/5/2013	6/25/2014	4884564	4881988	1.2	1.3	1.3	
2136-2	OAKHILL CRT	HALLWAY	4/4/2013	6/25/2014	4881908	4884867	1.6	1.4	1.5	
2137-1	OAKHILL CRT	HALLWAY	4/5/2013	6/25/2014	4881800	4881959	1.2	1.4	1.3	
2137-2	OAKHILL CRT	HALLWAY	4/2/2013	7/24/2014	4881809	4882003	2.6	2.5	2.6	
2137-3	OAKHILL CRT	HALLWAY	4/5/2013	7/25/2014	4884747	4884770	0.9	1.0	1.0	
2137-4	OAKHILL CRT	HALLWAY	4/5/2013	8/22/2014	4884459	4881734	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2137-4	OAKHILL CRT	HALLWAY	9/15/2014	3/26/2015	4883395	4883380	3.2	1.8	2.5	
2138-1	OAKHILL CRT	HALLWAY	4/8/2013	6/25/2014	4884575	4884482	1.4	1.3	1.4	
2138-2	OAKHILL CRT	HALLWAY	4/8/2013	6/25/2014	4885906	4885890	1.0	1.2	1.1	
2014-1	PELELIU CRT	HALLWAY	4/1/2013	6/23/2014	4884546	4884530	2.3	2.4	2.4	
2014-2	PELELIU CRT	HALLWAY	4/1/2013	6/23/2014	4884567	4884738	1.4	1.4	1.4	
2014-3	PELELIU CRT	HALLWAY	4/1/2013	6/23/2014	4884505	4884461	1.1	1.1	1.1	
2014-4	PELELIU CRT	HALLWAY	4/1/2013	6/23/2014	4884764	4884495	2.2	2.4	2.3	
2027-1	PENSACOLA CRT	HALLWAY	4/2/2013	6/23/2014	4881762	4884462	1.1	1.1	1.1	
2027-2	PENSACOLA CRT	HALLWAY	4/1/2013	6/26/2014	4885575	4884613	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2027-2	PENSACOLA CRT	HALLWAY	9/11/2014	3/25/2015	4883575	4883536	1.2	1.0	1.1	
2027-3	PENSACOLA CRT	HALLWAY	9/11/2014		4881724	4881692	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2027-3	PENSACOLA CRT	HALLWAY	4/2/2013	6/26/2014	4884099	4881922	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2027-4	PENSACOLA CRT	HALLWAY	4/1/2013	6/23/2014	4881836	4885601	1.5	1.4	1.5	
2028-1	PENSACOLA CRT	HALLWAY	4/2/2013	6/23/2014	4881945	4884594	1.0	0.9	1.0	
2028-2	PENSACOLA CRT	HALLWAY	4/2/2013	6/23/2014	4884741	4884832	1.2	1.3	1.3	

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2028-3	PENSACOLA CRT	HALLWAY	4/1/2013	6/23/2014	4884573	4885578	1.0	1.1	1.1	
2028-4	PENSACOLA CRT	HALLWAY	4/2/2013	6/23/2014	4882018	4884665	1.2	1.0	1.1	
2029-1	PENSACOLA CRT	HALLWAY	4/2/2013	7/25/2014	4881992	4884282	1.1	1.2	1.2	
2029-2	PENSACOLA CRT	HALLWAY	4/2/2013	6/23/2014	4881884	4881949	1.1	1.0	1.1	
2031-1	PENSACOLA CRT	HALLWAY	4/2/2013	6/23/2014	4881963	4885584	1.5	1.6	3.1	
2031-2	PENSACOLA CRT	HALLWAY	4/3/2013	6/23/2014	4881978	4884616	1.2	1.0	1.1	
2144-1	PIONEER COURT	HALLWAY	4/8/2013	6/25/2014	4885869	4884838	1.7	1.7	1.7	
2144-2	PIONEER COURT	HALLWAY	4/8/2013	6/25/2014	4881965	4881954	1.4	1.3	1.4	
2144-3	PIONEER COURT	HALLWAY	4/8/2013	6/25/2014	4885831	4881893	1.3	1.6	1.5	
2144-4	PIONEER COURT	HALLWAY	4/8/2013	6/25/2014	4884768	4884657	1.2	1.4	1.3	
2145-1	PIONEER COURT	HALLWAY	4/8/2013	8/22/2014	4885927	4885803	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2145-1	PIONEER COURT	HALLWAY	9/15/2014	3/26/2015	4883391	4883471	5.5	12.6	9.1	
2145-2	PIONEER COURT	HALLWAY	4/8/2013	6/25/2014	4884586	4885863	1.5	1.2	1.4	
2146-1	PIONEER COURT	HALLWAY	4/8/2013	6/25/2014	4885748	4885714	1.3	1.5	1.4	
2146-2	PIONEER COURT	HALLWAY	4/8/2013	6/25/2014	4883623	4885953	0.8	1.0	0.9	
2146-3	PIONEER COURT	HALLWAY	4/8/2013	6/25/2014	4883646	4885698	1.1	1.0	2.1	
2146-4	PIONEER COURT	HALLWAY	4/8/2013	9/15/2014	4883630	4883634	1.1	1.1	1.1	
2139-1	PUGET SOUND COURT	HALLWAY	4/8/2013	6/26/2014	4885877	4885709	1.1	1.3	1.2	
2139-2	PUGET SOUND COURT	HALLWAY	4/9/2013	6/25/2014	4884679	4885651	1.4	1.4	1.4	
2139-2	PUGET SOUND COURT	HALLWAY	9/15/2014	3/26/2015	4883577	4883585	1.4	1.6	1.5	
2140-1	PUGET SOUND COURT	HALLWAY	4/8/2013	6/25/2014	4884541	4881995	0.9	0.6	0.8	
2140-2	PUGET SOUND COURT	HALLWAY	4/8/2013	8/22/2014	4885762	4885786	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2140-2	PUGET SOUND COURT	HALLWAY	9/15/2014	3/26/2015	4883399	4883433	2.3	2.0	2.2	
2140-3	PUGET SOUND COURT	HALLWAY	4/8/2013	6/25/2014	4885860	4885948	0.9	0.8	0.9	
2140-4	PUGET SOUND COURT	HALLWAY	4/8/2013	6/25/2014	4884625	4885846	1.0	0.8	0.9	
2141-1	PUGET SOUND COURT	HALLWAY	4/8/2013	6/25/2014	4885612	4885878	1.5	1.5	1.5	
2141-2	PUGET SOUND COURT	HALLWAY	4/8/2013	8/22/2014	4885941	4885619	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2141-2	PUGET SOUND COURT	HALLWAY	9/15/2014	3/26/2015	4883505	4883430	1.4	1.6	1.5	

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2017-1	SAIPAN CRT	HALLWAY	4/1/2013	6/23/2014	4884330	4884136	0.9	1.0	1.0	
2017-2	SAIPAN CRT	BEDROOM	4/1/2013	6/26/2014	4884138	4884126	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2017-2	SAIPAN CRT	BEDROOM	9/11/2014	3/25/2015	4883537	4883353	1.8	1.6	1.7	
2017-3	SAIPAN CRT	HALLWAY	4/1/2013	6/23/2014	4882491	4877968	1.3	1.2	1.3	
2017-4	SAIPAN CRT	BEDROOM	4/1/2013	6/23/2014	4884113	4882314	1.2	1.3	1.3	
2112-1	SAN JACINTO CRT	HALLWAY	4/4/2013	6/24/2014	4882026	4881896	1.0	1.0	1.0	
2112-2	SAN JACINTO CRT	HALLWAY	4/2/2013	6/24/2014	4881833	4884815	1.3	1.3	1.3	
2112-3	SAN JACINTO CRT	HALLWAY	4/4/2013	6/24/2014	4881819	4881998	1.3	1.0	1.2	
2112-4	SAN JACINTO CRT	HALLWAY	4/4/2013	6/24/2014	4881806	4881723	1.0	1.1	1.1	
2113-1	SAN JACINTO CRT	HALLWAY	4/4/2013	6/24/2014	4881825	4884799	1.0	1.3	1.2	
2113-2	SAN JACINTO CRT	HALLWAY	4/4/2013	7/25/2014	4884713	4884692	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2113-2	SAN JACINTO CRT	HALLWAY	9/12/2014	3/26/2015	4883348	4883541	0.8	1.0	0.9	
2113-3	SAN JACINTO CRT	HALLWAY	4/4/2013	6/24/2014	4884503	4884671	1.5	1.3	1.4	
2113-4	SAN JACINTO CRT	HALLWAY	4/4/2013	6/25/2014	4881717	4881821	0.8	0.8	0.8	
2006-1	SHILOH CRT	HALLWAY	4/1/2013	6/23/2014	4882166	4878049	1.8	1.3	1.6	
2006-2	SHILOH CRT	HALLWAY	4/1/2013	6/23/2014	4882078	4882126	1.5	1.7	1.6	
2007-1	SHILOH CRT	HALLWAY	4/1/2013	6/23/2014	4878114	4878105	1.3	0.9	1.1	
2007-2	SHILOH CRT	HALLWAY	4/1/2013	6/23/2014	4885020	4877917	0.9	0.7	0.8	
2008-1	SHILOH CRT	HALLWAY	4/1/2013	6/23/2014	4877949	4882065	2.0	1.7	1.9	
2008-2	SHILOH CRT	HALLWAY	4/1/2013	6/23/2014	4878115	4877992	1.3	1.2	1.3	
2009-1	SHILOH CRT	HALLWAY	4/1/2013	6/23/2014	4884175	4877924	0.6	0.6	0.6	
2009-2	SHILOH CRT	HALLWAY	4/11/2013	6/24/2014	4883771	4885362	0.8	0.8	0.8	
2009-2	SHILOH CRT	HALLWAY	4/1/2013	6/27/2014	4877927	4882097	0.3	N/A	0.3	DET 2 Placed/Reported Missing
2009-2	SHILOH CRT	HALLWAY	9/11/2014	3/25/2015	4883297	4883549	1.6	1.2	1.4	
2010-1	SHILOH CRT	HALLWAY	4/1/2013	6/23/2014	4878053	4882479	1.2	1.3	1.3	
2010-2	SHILOH CRT	HALLWAY	4/1/2013	6/23/2014	4884335	4877929	1.2	0.9	1.1	
2011-1	SHILOH CRT	HALLWAY	4/1/2013	6/23/2014	4884230	4882508	0.9	1.1	1.0	
2011-2	SHILOH CRT	HALLWAY	4/1/2013	6/26/2014	4884220	4877878	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2011-2	SHILOH CRT	HALLWAY	9/11/2014	3/25/2015	4883452	4883478	1.3	1.7	1.5	
2101-1	SIMON LAKE CRT	HALLWAY	4/9/2013	6/24/2014	4884659	4885820	2.6	2.7	2.7	
2101-2	SIMON LAKE CRT	HALLWAY	4/4/2013	6/24/2014	4884581	4881895	1.3	0.8	1.1	
2102-1	SIMON LAKE CRT	HALLWAY	4/4/2013	6/24/2014	4884722	4881835	1.3	0.8	1.1	
2102-2	SIMON LAKE CRT	HALLWAY	4/4/2013	6/24/2014	4884576	4881827	1.9	1.8	1.9	
2103-1	SIMON LAKE CRT	HALLWAY	4/4/2013	6/24/2014	4881852	4881867	1.7	1.3	1.5	
2103-2	SIMON LAKE CRT	HALLWAY	4/4/2013	6/24/2014	4884535	4884831	0.8	0.8	0.8	
2104-1	SIMON LAKE CRT	HALLWAY	4/4/2013	6/24/2014	4881974	4884709	1.0	1.1	1.1	
2104-2	SIMON LAKE CRT	HALLWAY	4/4/2013	6/24/2014	4881921	4881997	1.3	1.2	1.3	
2105-1	SIMON LAKE CRT	HALLWAY	4/4/2013	6/24/2014	4881776	4881749	1.9	1.8	1.9	
2105-2	SIMON LAKE CRT	HALLWAY	4/4/2013	6/24/2014	4881841	4885614	1.4	1.5	1.5	
2114-1	SPRINGFIELD COURT	HALLWAY	4/4/2013	9/12/2014	4881807	4881868	0.9	0.8	0.9	
2114-2	SPRINGFIELD COURT	HALLWAY	4/4/2013	6/24/2014	4884622	4881761	1.6	1.7	1.7	
2115-1	SPRINGFIELD COURT	HALLWAY	4/4/2013	6/24/2014	4882008	4881782	0.8	0.8	0.8	
2115-2	SPRINGFIELD COURT	HALLWAY	9/12/2014		4883333	4883370	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2115-2	SPRINGFIELD COURT	HALLWAY	4/4/2013	7/25/2014	4884440	4881796	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2116-1	SPRINGFIELD COURT	HALLWAY	4/4/2013	6/24/2014	4884531	4884756	1.5	1.4	1.5	
2116-2	SPRINGFIELD COURT	HALLWAY	4/4/2013	6/24/2014	4881789	4884558	1.0	1.1	1.1	
2117-1	SPRINGFIELD COURT	HALLWAY	4/4/2013	6/24/2014	4884691	4881854	1.2	1.1	1.2	
2117-2	SPRINGFIELD COURT	HALLWAY	4/4/2013	6/24/2014	4881773	4884584	1.1	1.3	1.2	
2118-1	SPRINGFIELD COURT	HALLWAY	4/4/2013	6/24/2014	4884645	4882022	0.9	0.9	0.9	
2118-2	SPRINGFIELD COURT	HALLWAY	4/4/2013	6/24/2014	4884737	4881950	1.2	1.2	1.2	
2119-1	SPRINGFIELD COURT	HALLWAY	4/4/2013	6/24/2014	4884524	4881975	1.3	1.3	1.3	
2119-2	SPRINGFIELD COURT	HALLWAY	4/5/2013	6/24/2014	4884699	4881766	1.3	1.1	1.2	
2120-1	SPRINGFIELD COURT	HALLWAY	4/5/2013	6/24/2014	4884819	4881925	1.4	1.5	1.5	
2120-2	SPRINGFIELD COURT	HALLWAY	4/4/2013	7/25/2014	4884600	4884498	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2120-2	SPRINGFIELD COURT	HALLWAY	9/15/2014	3/26/2015	4881675	4883382	0.7	1.0	0.9	
2163-1	SPRINGFIELD COURT	HALLWAY	4/8/2013	7/25/2014	4885736	4885943	N/A	2.1	2.1	DET 1 Placed / Reported Missing
2163-1	SPRINGFIELD COURT	HALLWAY	9/18/2014	3/26/2015	4883455	4883550	3.8	2.9	3.4	
2163-2	SPRINGFIELD COURT	HALLWAY	4/8/2013	6/25/2014	4885925	4885852	2.2	2.6	2.4	
2163-3	SPRINGFIELD COURT	BED RM	4/8/2013	9/15/2014	4885868	4885888	1.5	1.6	1.6	
2163-4	SPRINGFIELD COURT	HALLWAY	4/8/2013	6/25/2014	4885611	4885935	3.8	3.4	3.6	
2015-1	TARAWA CRT	HALLWAY	4/1/2013	6/23/2014	4882276	4884532	1.2	1.7	1.5	
2015-2	TARAWA CRT	HALLWAY	4/1/2013	6/23/2014	4877906	4885606	1.2	1.2	1.2	
2015-3	TARAWA CRT	HALLWAY	4/1/2013	6/23/2014	4884439	4882410	1.2	1.2	1.2	
2015-4	TARAWA CRT	HALLWAY	4/1/2013	6/23/2014	4884033	4877936	1.4	1.5	1.5	
2016-1	TARAWA CRT	HALLWAY	4/1/2013	6/23/2014	4882280	4884767	1.2	1.2	1.2	
2016-2	TARAWA CRT	HALLWAY	4/1/2013	6/23/2014	4884173	4884382	1.3	1.2	1.3	
2016-3	TARAWA CRT	HALLWAY	4/1/2013	6/23/2014	4882470	4884721	1.5	1.7	1.6	
2016-4	TARAWA CRT	HALLWAY	4/1/2013	6/23/2014	4884147	4884191	0.9	0.9	0.9	
2019-1	TARAWA CRT	HALLWAY	4/1/2013	6/23/2014	4884274	4882512	1.3	0.9	1.1	
2019-2	TARAWA CRT	HALLWAY	4/1/2013	6/23/2014	4884369	4884294	0.8	0.9	0.9	
2012-1	THEODORE ROOSEVELT ST	HALLWAY	4/1/2013	6/23/2014	4884225	4882119	1.5	1.6	1.6	
2012-2	THEODORE ROOSEVELT ST	HALLWAY	4/1/2013	6/23/2014	4877874	4877886	1.0	1.3	1.2	
2012-3	THEODORE ROOSEVELT ST	HALLWAY	4/1/2013	6/23/2014	4884161	4882158	1.2	2.0	1.6	
2012-4	THEODORE ROOSEVELT ST	HALLWAY	4/1/2013	6/23/2014	4882070	4882469	0.9	0.7	0.8	
2013-1	THEODORE ROOSEVELT ST	HALLWAY	4/1/2013	6/23/2014	4882155	4877931	1.3	1.4	1.4	
2013-2	THEODORE ROOSEVELT ST	HALLWAY	4/1/2013	6/23/2014	4884349	4882462	1.2	1.3	1.3	
2013-3	THEODORE ROOSEVELT ST	HALLWAY	4/1/2013	6/23/2014	4882161	4884186	0.8	0.9	0.9	
2013-4	THEODORE ROOSEVELT ST	HALLWAY	4/1/2013	6/23/2014	4882443	4882454	1.0	0.9	1.0	

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2125-1	VALLEY FORGE CRT	HALLWAY	4/5/2013	5/1/2014	4884684	4881715	1.0	0.9	1.0	
2125-1	VALLEY FORGE CRT	HALLWAY	9/15/2014	3/26/2015	4883389	4881693	1.4	1.5	1.5	
2125-2	VALLEY FORGE CRT	HALLWAY	4/5/2013	6/25/2014	4881765	4881740	1.3	1.4	1.4	
2126-1	VALLEY FORGE CRT	HALLWAY	4/5/2013	6/25/2014	4884507	4884446	1.1	1.1	1.1	
2126-2	VALLEY FORGE CRT	HALLWAY	4/5/2013	7/25/2014	4884538	4884592	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2126-2	VALLEY FORGE CRT	HALLWAY	9/15/2014	3/26/2015	4883489	4883296	2.0	1.8	1.9	
2127-1	VALLEY FORGE CRT	HALLWAY	4/5/2013	6/25/2014	4884643	4884545	1.8	1.8	1.8	
2127-2	VALLEY FORGE CRT	HALLWAY	4/9/2013	6/25/2014	4883852	4885625	1.1	1.2	1.2	
2128-1	VALLEY FORGE CRT	HALLWAY	4/5/2013	7/25/2014	4884711	N/A	N/A	N/A	N/A	DET 1 Placed / Reported Missing
2128-1	VALLEY FORGE CRT	HALLWAY	9/15/2014	3/26/2015	4883300	4883563	2.2	2.1	2.2	
2128-2	VALLEY FORGE CRT	HALLWAY	4/5/2013	6/25/2014	4884694	4884468	1.7	1.6	1.7	
2129-1	VALLEY FORGE CRT	HALLWAY	4/5/2013	8/22/2014	4885588	4884631	1.8	1.8	1.8	
2129-2	VALLEY FORGE CRT	HALLWAY	4/5/2013	6/25/2014	4884612	4881916	1.1	1.0	1.1	
2301	VILLA CAPRI	LIVING ROOM	4/9/2013	6/26/2014	4885372	4885367	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2301	VILLA CAPRI	LIVING ROOM	9/17/2014	3/24/2015	4883510	4883385	2.8	2.5	2.7	
2302	VILLA ISCHIA	TV ROOM	4/9/2013	6/26/2014	4881897	4883866	2.6	2.6	2.6	
2305	VILLA PONZA	SITTING RM OFF LVRM	4/9/2013	6/23/2014	4885626	4885639	0.7	1.3	2.0	
2303	VILLA PROCIDA	DINNING RM	4/9/2013	6/26/2014	4885932	4883851	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2303	VILLA PROCIDA	DINNING RM	9/17/2014	3/26/2015	4883533	4883356	2.3	3.9	3.1	
2304	VILLA VENTOTENE	DINNIG AREA	4/9/2013	6/23/2014	4883927	4883672	3.1	3.2	3.2	
2035-1	W. MONTEREY CRT	HALLWAY	4/2/2013	6/23/2014	4884321	4884315	1.8	1.8	1.8	
2035-2	W. MONTEREY CRT	HALLWAY	4/2/2013	6/23/2014	4881930	4884289	1.7	1.8	1.8	
2035-2	W. MONTEREY CRT	HALLWAY	9/11/2014	3/25/2015	4883279	4883345	3.0	3.4	3.2	
2035-3	W. MONTEREY CRT	HALLWAY	4/2/2013	6/23/2014	4881840	4884454	1.4	1.5	1.5	
2035-3	W. MONTEREY CRT	HALLWAY	9/11/2014	3/25/2015	4883554	4883440	2.1	2.2	2.2	
2035-4	W. MONTEREY CRT	HALLWAY	4/2/2013	6/26/2014	4881905	4881831	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2035-4	W. MONTEREY CRT	HALLWAY	9/11/2014	3/25/2015	4883580	4883477	2.9	2.8	2.9	
2038-1	W. MONTEREY CRT	HALLWAY	4/3/2013	6/26/2014	4884826	4881828	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2038-1	W. MONTEREY CRT	HALLWAY	9/11/2014	3/25/2015	4883529	4883472	3.2	2.2	2.7	
2038-2	W. MONTEREY CRT	HALLWAY	4/3/2013	6/24/2014	4881956	4884718	0.9	0.9	1.8	
2039-1	WASHINGTON ST	HALLWAY	4/3/2013	6/24/2014	4884670	4881947	0.5	0.5	0.5	
2039-2	WASHINGTON ST	HALLWAY	4/1/2013	6/24/2014	4884730	4884601	1.0	1.1	1.1	
2039-3	WASHINGTON ST	HALLWAY	4/9/2013	9/12/2014	4883869	4883627	0.8	0.8	0.8	
2039-4	WASHINGTON ST	HALLWAY	4/3/2013	6/24/2014	4881795	4884763	0.8	N/A	0.8	DET 2 Process Loss
2040-1	WASHINGTON ST	HALLWAY	4/3/2013	6/24/2014	4881829	4881826	0.6	0.7	0.7	
2040-2	WASHINGTON ST	HALLWAY	4/3/2013	6/24/2014	4881931	4884820	0.7	0.7	0.7	
2040-3	WASHINGTON ST	HALLWAY	4/3/2013	9/12/2014	4881793	4884793	0.7	0.8	0.8	
2040-4	WASHINGTON ST	HALLWAY	4/3/2013	6/24/2014	4884727	4881873	1.0	1.0	1.0	
2041-1	WASHINGTON ST	HALLWAY	4/3/2013	6/24/2014	4881999	4882001	1.2	1.6	1.4	
2041-2	WASHINGTON ST	HALLWAY	4/3/2013	6/24/2014	4884521	4881996	1.3	1.1	1.2	
2041-3	WASHINGTON ST	HALLWAY	4/3/2013	6/24/2014	4881710	4881984	0.9	1.0	1.0	
2041-4	WASHINGTON ST	HALLWAY	4/3/2013	6/24/2014	4881985	4884798	1.3	1.2	1.3	
2042-1	WASHINGTON ST	HALLWAY	4/9/2013	6/24/2014	4883904	4885685	0.9	0.6	0.8	
2042-2	WASHINGTON ST	HALLWAY	4/3/2013	6/26/2014	4884661	4881847	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2042-2	WASHINGTON ST	HALLWAY	9/12/2014	3/25/2015	4881720	4883383	0.9	0.7	0.8	
2044-1	WASHINGTON ST	HALLWAY	4/3/2013	6/24/2014	4884646	4884772	0.7	0.7	0.7	
2044-2	WASHINGTON ST	HALLWAY	4/3/2013	6/26/2014	4882019	4881853	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2044-2	WASHINGTON ST	HALLWAY	9/12/2014	3/25/2015	4883569	4883338	1.0	1.0	1.0	
2046-1	WASP CT	HALLWAY	4/3/2013	6/24/2014	4881980	4882020	0.7	0.7	0.7	
2046-2	WASP CT	HALLWAY	4/3/2013	6/24/2014	4881877	4881804	1.5	1.0	1.3	
2046-3	WASP CT	HALLWAY	4/3/2013	6/26/2014	4881779	4881918	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2046-3	WASP CT	HALLWAY	9/12/2014	3/25/2015	4883453	4881660	1.2	0.7	1.0	
2046-4	WASP CT	HALLWAY	4/3/2013	6/24/2014	4884560	4884629	1.1	1.3	1.2	
2050-1	WASP CT	HALLWAY	4/3/2013	6/24/2014	4882002	4884801	0.6	0.7	0.7	

Radon Results for Family Housing at NSA Naples 2013–2015 (cont.)

Street Number	Street Name	Room	Date Placed	Date Retrieved	Detector 1	Detector 2	Detector 1 pCi/L	Detector 2 pCi/L	Average pCi/L	Comments
2050-2	WASP CT	HALLWAY	4/3/2013	6/24/2014	4884635	4881912	1.0	1.1	1.1	
2050-3	WASP CT	HALLWAY	4/3/2013	6/24/2014	4881799	4881744	0.6	0.7	0.7	
2050-4	WASP CT	HALLWAY	4/3/2013	6/26/2014	4884528	4881832	N/A	N/A	N/A	DET 1 and 2 Placed / Reported Missing
2050-4	WASP CT	HALLWAY	9/12/2014	3/25/2015	4883516	4883335	1.1	1.5	1.3	

Supplemental Data - Post Mitigation Testing

Site	StreetNumber	Room	DatePlaced	DateRetrieved	PCIL
Support Site	2037-2	HALLWAY	10/27/2016	4/27/2017	1.4
Support Site	2037-2	HALLWAY	10/27/2016	4/27/2017	1.5
Support Site	2145-1	HALLWAY	10/27/2016	4/27/2017	1.7
Support Site	2145-1	HALLWAY	10/27/2016	4/27/2017	2
Support Site	2151-2	HALLWAY	10/27/2016	4/27/2017	2.6